













ASSEMBLY INSTRUCTIONS

A	Cooler body	1	
B	Cooler leg	4	
C	Tray	1	
D	Wheels	2 normal	
		2 with brake	
E	Drain	1	
F	Opener	1	
G	Catcher	1	
H	Handle	1	
I	Screw	22	
J	Wrench-1	1	
K	Wrench-2	1	

ASSEMBLY INSTRUCTIONS:

Step 1: Install 4 cooler legs (B) with scrow (I) onto the bottom of the cooler body (A). Fig. 1

Do not tighten the screws.

Put Tray (C) onto the legs and screw Wheels (D) onto each leg using the Wrench (K) Fig. 2

Tighten all the screws with Wrench (J)

Step 2: Install Handle (H) onto cooler body with Screws (I), tighten all the screws. Fig. 3

Attach Opener (F) and Catcher (G) onto the front left side of cooler Fig. 4

Attach Drain (E) onto the right bottom of the cooler as illustrated in the image below and tighten with Wrench (K) Fig. 5

Fig. 1




Fig. 2





Fig. 3



Fig. 4



Fig. 5



TO OPEN AND CLOSE THE LID

To Open: Pull the lid straight up until you hear locking mechanism



To Close: Push the knobs on the sides of the cooler body simultaneously to release locking mechanism

WARNING: MAKE SURE FINGERS ARE NOT ON COOLER EDGES WHEN PRESSING KNOBS

